



Wood Boring Tools

Spade Bits

Power Drill Auger Bits

**Boring Machine
Auger Bits**

Hand Brace Auger Bits

**Impact Wrench
Auger Bits**

Adjustable Wood Bits

Self-Feed Wood Bits

Forstner Bits


Brad Point Drill Bits

Hand Brace Installer Bits

Power Drill Installer Bits

SPEEDBOR® WOOD BORING BITS

Wood Boring Tools



4-3/4" SPEEDBOR2000® SL Bits

- Drills through double studs
- Allows for access in tight areas (between studs, inside cabinets) where standard length spade bits won't fit
- Drills a straight hole in tight areas



Diameter	Carded Stock #
1/2"	87908
5/8"	87910
3/4"	87912
7/8"	87914
1"	87916
1-1/4"	87920
1-1/2"	87924

For additional SPEEDBOR® SL Bits see LOCK-N-LOAD™, Page 10-1



SAFETY INSTRUCTIONS: Failure to follow warnings may result in bodily injury.

WARNING: ALWAYS wear safety goggles to protect your eyes and wear other appropriate safety items for protection.

SPEEDBOR® Wood Boring Bits



88816

6" SPEEDBOR2000® Bits

- General purpose length

Diameter	Carded Stock #	Bulk Stock #
1/4"	88804	99904
5/16"	88805	99905
3/8"	88806	99906
7/16"	88807	99907
1/2"	88808	99908
9/16"	88809	99909
5/8"	88810	99910
11/16"	88811	99911
3/4"	88812	99912
13/16"	88813	99913
7/8"	88814	99914
15/16"	88815	99915
1"	88816	99916
1-1/8"	88818	99918
1-1/4"	88820	99920
1-3/8"	88822	99922
1-1/2"	88824	99924

For additional SPEEDBOR® Bits see LOCK-N-LOAD™, Page 10-1

88716

16" SPEEDBOR2000® XL Bits

- Extra length provides added reach



88702



88601

SPEEDBOR® Wood Bit Extensions

Overall Length	Carded Stock #	Bulk Stock #
6"	88702	99702
12"	88601	99601

- Adds extra reach to wood boring bit
- Extension head will follow 5/8" and larger bits through hole
- Two set screws secure bit into extension
- 1/8" hex key included with extension

SPEEDBOR® Wood BORING BITS

4-3/4" SPEEDBOR2000® SL Bit Set



87950

Description	Contents	Carded Stock #
3 pc Set	1/2", 3/4", 1"	87950

6" SPEEDBOR2000® Bit Sets



88889



88898



88899



88894

Description	Contents	Pouched Stock #
3 pc Set	1/2", 3/4", 1"	88889
6 pc Set	3/8", 1/2", 5/8", 3/4", 1", 6" Ext.	88898
6 pc Set	3/8", 1/2", 5/8", 3/4", 7/8", 1"	88899
13 pc Set	1/4" to 1" by 1/16ths	88894

6" SPEEDBOR2000® SlimCase™ Bit Set



88890

Description	Contents	Tubed Stock #
6 pc Set	3/8", 1/2", 5/8", 3/4", 7/8", 1"	88890

6" SPEEDBOR2000® Workshop Rack Sets




88888



88887

Description	Contents	Carded Stock #
6 pc Set	3/8", 1/2", 5/8", 3/4", 7/8", 1"	88888
13 pc Set	1/4" to 1" by 1/16ths	88887


IRWIN® POWER DRILL AUGER BITS



I-100™ Auger Bit

I-100™ Auger Bits 7-1/2" OL* 4-1/2" Twist

Diameter	Hex Shank Size	Pouched Stock #
1/4"	7/32"	49904
5/16"	7/32"	49905
3/8"	7/32"	49906
7/16"	7/32"	49907
1/2"	7/32"	49908
9/16"	5/16"	49909
5/8"	5/16"	49910
11/16"	5/16"	49911
3/4"	5/16"	49912
13/16"	5/16"	49913
7/8"	5/16"	49914
15/16"	5/16"	49915
1"	5/16"	49916
1-1/8"	7/16"	49918
1-1/4"	7/16"	49920
1-3/8"	7/16"	49922
1-1/2"	7/16"	49924



49999




49998

I-100™ Auger Bit Sets

Description	Contents	Pouched Stock #
3 pc Set	1/4", 3/8", 1/2"	49999
6 pc Set	1/4", 3/8", 1/2", 5/8", 3/4", 1"	49998

*OL = Overall Length

IRWIN® POWER DRILL AUGER BITS



Short Ship Auger Bits

7-1/2" OL*

5" Twist

- Short length allows bit to be used in tight areas

42416

Diameter	Hex Shank Size	Tubed Stock #
5/8"	5/16"	42410
11/16"	5/16"	42411
3/4"	5/16"	42412
13/16"	5/16"	42413
7/8"	5/16"	42414
1"	5/16"	42416
1-1/8"	7/16"	42418
1-1/4"	7/16"	42420

Long Ship Auger Bits

520H Series

17" OL*

12" Twist

- Sizes 3/8" to 1/2" have 5" shanks with 1-3/4" of 23/64" round and 1-3/4" of 5/16" hex
- Sizes 9/16" to 2" have 5" shanks with 1-3/4" of 7/16" hex – cut off hex shank if your job requires a round shank

47316

Diameter	Hex Shank Size	Tubed Stock #	Bulk Stock #
3/8"	5/16"	47406	47306
7/16"	5/16"	47407	47307
1/2"	5/16"	47408	47308
9/16"	7/16"	47409	47309
5/8"	7/16"	47410	47310
11/16"	7/16"	47411	47311
3/4"	7/16"	47412	47312
13/16"	7/16"	47413	47313
7/8"	7/16"	47414	47314
15/16"	7/16"	47415	47315
1"	7/16"	47416	47316
1-1/16"	7/16"	47417	47317
1-1/8"	7/16"	47418	47318
1-3/16"	7/16"	–	47319
1-1/4"	7/16"	47420	47320
1-5/16"	7/16"	–	47321
1-3/8"	7/16"	47422	47322
1-1/2"	7/16"	47424	47324
1-5/8"	7/16"	–	47326
1-3/4"	7/16"	–	47328
2"	7/16"	–	47332

IRWIN® POWER DRILL AUGER BITS



46813



46915



47016

Power Pole Auger Bits

- Hollow center twist design for fast, continuous flow of chips
- Single-spur design bores smooth, clean holes for installing bolts and pins

- For boring creosoted poles and construction timbers and multiple timber applications
- 5" shank has 1-3/4" of 1/2" round and 1-3/4" of 7/16" hex – cut off hex section and use 1/2" round shank if job requires
- Full length heat treatment strengthens twist where greatest strain occurs
- Medium-fast screw pitch

Diameter	Hex Shank Size	412H	418H	424H
		17" OL* 12" Twist	23" OL* 18" Twist	29" OL* 24" Twist
9/16"	7/16"	46809	46909	47009
5/8"	7/16"	46810	46910	47010
11/16"	7/16"	46811	46911	47011
3/4"	7/16"	46812	46912	47012
13/16"	7/16"	46813	46913	47013
7/8"	7/16"	–	46914	47014
15/16"	7/16"	–	46915	47015
1"	7/16"	–	–	47016
1-1/16"	7/16"	–	–	47017



43805



43907

18" Auger Bit Extensions

- Hex key included
- Six flats on shank
- Heavy-duty double set screw type

Compatible Auger Shanks	Minimum Hole Dia. Ext. Will Follow Through	Bulk Stock #
5/16" Hex or (23/64" round)	11/16"	43805
7/16" Hex or (1/2" round)	1-1/16"	43907

IRWIN® BORING MACHINE AUGER BITS

Machine Auger Bits - 62R Series 1/2" Round Shank

- Round shanks for power drills and boring machines
- Heat-treated full length for extra strength
- Heavy stem increases strength and rigidity, reduces vibration
- 1/2" x 2" round shank



Diameter	8" OL* 6" Twist Bulk Stock #	10" OL* 8" Twist Bulk Stock #	12" OL* 10" Twist Bulk Stock #	14" OL* 12" Twist Bulk Stock #
1/4"	45304	—	—	—
5/16"	45305	—	—	—
3/8"	45306	45406	—	45606
7/16"	45307	45407	—	—
1/2"	45308	—	—	45608
9/16"	45309	45409	—	—
5/8"	45310	—	—	45610
11/16"	45311	45411	—	45611
3/4"	45312	45412	—	45612
13/16"	45313	—	45513	45613
7/8"	45314	—	—	45614
1"	45316	—	45516	45616

Railroad Tie Machine Auger Bits - 72R Series

- Solid center type with double cutters and double side lips
- Stem is heavier at shank section to give added strength where greatest strain occurs
- Especially heavy stem gives extra overall strength and rigidity to reduce vibration
- For power drills, drill presses, and boring machines
- 3/32" groove in shank for use in boring machines



Diameter (with screw point)	Round Shank	12-9/16" OL* 10-1/4" Twist Bulk Stock #	13-15/16" OL* 10-1/4" Twist Bulk Stock #
3/8"	13/32"	49506	—
7/16"	15/32"	49507	49707
1/2"	15/32"	49508	49708
9/16"	15/32"	—	49709

Diameter (no screw point)	Round Shank	12-3/16" OL* 10-1/4" Twist Bulk Stock #	13-9/16" OL* 10-1/4" Twist Bulk Stock #
1/2"	15/32"	49608	49808

IRWIN® HAND BRACE AUGER BITS




Utility Pole Auger Bits

- Single-twist type with single-spur, cutter side lip

- Specially designed to bore through creosoted poles without clogging, binding or stopping to clear chips

- Equally efficient for boring large timbers used in heavy construction
- Medium-fast screw pitch
- Hollow center twist design for fast, continuous flow of chips
- Heat-treated full length for extra strength
- Adapter Shank Sizes
(11/16" to 1-1/16") 5/16" Hex Shank

Diameter	413T 12" OL* 8" Twist Bulk Stock #	415T 18" OL* 12" Twist Bulk Stock #	416T 24" OL* 18" Twist Bulk Stock #
3/8"	—	46606	—
7/16"	—	46607	—
1/2"	—	46608	—
9/16"	46509	46609	—
5/8"	—	46610	—
11/16"	46511	46611	46711
3/4"	—	46612	—
13/16"	46513	46613	46713
7/8"	—	46614	—
15/16"	—	46615	—
1"	—	46616	46716
1-1/16"	—	46617	—



Long Ship Auger Bits - 515T Series - 18" OL 12" Twist



- For use in drilling applications where small nails and other foreign materials may be encountered

- For deep boring work in large timbers, telephone and power poles, on docks and bridges, in mining and heavy construction

Diameter	Bulk Stock #
1/4"	47104
5/16"	47105
3/8"	47106
7/16"	47107
1/2"	47108
9/16"	47109
5/8"	47110
11/16"	47111
3/4"	47112
13/16"	47113
7/8"	47114
15/16"	47115
1"	47116
1-1/16"	47117
1-1/8"	47118
1-1/4"	47120
1-1/2"	47124



IRWIN® HAND BRACE AUGER BITS

Solid-Center Auger Bits - 62T Series

- Balanced cutting head with medium-fast screw pitch bores cleaner, faster
- Heat-treated full length for extra strength
- Double-spur, double-cutter design leaves very clean hole finish



43616



Diameter	Twist Length	Overall Length	Pouched Stock #	Bulk Stock #
1/4"	3-1/2"	7-1/2"	43604	—
5/16"	3-5/8"	7-5/8"	43605	—
3/8"	3-3/4"	7-3/4"	43606	—
7/16"	3-7/8"	7-7/8"	43607	—
1/2"	4"	8"	43608	—
9/16"	4-1/8"	8-1/8"	43609	—
5/8"	4-1/4"	8-1/4"	43610	—
11/16"	4-3/8"	8-3/8"	43611	—
3/4"	4-1/2"	8-1/2"	43612	—
13/16"	4-5/8"	8-5/8"	43613	—
7/8"	4-9/16"	8-3/4"	43614	—
15/16"	4-11/16"	8-7/8"	43615	—
1"	4-13/16"	9"	43616	—
1-1/8"	4-7/8"	9-1/8"	—	43618
1-1/4"	4-7/8"	9-1/4"	—	43620
1-1/2"	4-7/8"	9-1/2"	—	43624

Solid-Center Auger Bit Sets - 62T Series

- Sets contain one of each size listed



43695



43697



43699

Description	Contents	Wooden Box Stock #	Pouched Stock #
6 pc Set	1/4", 3/8", 1/2", 5/8", 3/4, 1"	—	43695
13 pc Set	1/4" to 1" by 1/16ths	—	43697
13 pc Set	Bor-Chest 1/4" to 1" by 1/16ths	43699	—

IRWIN® HAND BRACE AUGER BITS

Long Solid Center Wood Auger Bits - 65T Series

18" OL* 12" Twist



47716

Diameter	Bulk Stock #
1/4"	47704
5/16"	47705
3/8"	47706
7/16"	47707
1/2"	47708
9/16"	47709
5/8"	47710
11/16"	47711
3/4"	47712
13/16"	47713
7/8"	47714
15/16"	47715
1"	47716
1-1/16"	47717
1-1/8"	47718
1-1/4"	47720
1-3/8"	47722
1-1/2"	47724

- Balanced cutting head with medium-fast screw pitch bores cleaner and faster
- Heat-treated and tempered full length for extra strength
- Double-spur, double-cutter
- Adapter Shank Sizes
(1/4" to 5/8") Hex Not Available
(11/16" to 1-1/16") 5/16" Hex Shank
(1-1/8" to 1-1/2") 7/16" Hex Shank



46216

Diameter	3E	35T
	10" OL 6" Twist Bulk Stock #	18" OL 12" Twist Bulk Stock #
1/4"	—	46204
3/8"	—	46206
1/2"	—	46208
5/8"	—	46210
11/16"	45811	46211
3/4"	—	46212
13/16"	—	46213
7/8"	—	46214
15/16"	—	46215
1"	—	46216

Electrician's Auger Bits

- Solid-center type with medium-screw pitch
- Single spur and cutter for fast boring
- For use by linemen, electricians, and plumbers...wherever fast boring is required
- Heat-treated full length for extra strength
- Adapter Shank Sizes
(1/4" to 5/8") Hex Not Available
(11/16" to 1") 5/16" Hex Shank



49307

Sugar Tree Tapping Bit - 91T Series

6" OL* 2-1/2" Twist

Diameter	Bulk Stock #
7/16"	49307

- Solid-center twist design with special flat type cutter to reduce injury to tree
- Has adapter shank

IRWIN® IMPACT WRENCH AUGER BITS

I-100™ Impact Wrench Auger Bits



41213



41813

Diameter	Quick Change Hex Size	12" OL* 9" Twist Bulk Stock #	18" OL* 14" TWIST Bulk Stock #
9/16"	7/16"	41209	41809
11/16"	7/16"	41211	41811
13/16"	7/16"	41213	41813
15/16"	7/16"	—	41815
1-1/16"	7/16"	—	41817

Utility Pole Impact Wrench Auger Bits - 41H Series



47913



48213



Diameter	Quick Change Hex Size	41H18 18" OL* 15" Twist Bulk Stock #	41H24 24" OL* 21" Twist Bulk Stock #
9/16"	7/16"	47909	—
11/16"	7/16"	47911	48211
13/16"	7/16"	47913	48213
15/16"	7/16"	47915	48215
1-1/16"	7/16"	47917	—
9/16"	5/8"	48109	—
11/16"	5/8"	48111	48311
13/16"	5/8"	48113	48313
15/16"	5/8"	—	48315
1-1/16"	5/8"	—	48317

Long Ship Impact Wrench Auger Bits - 51H Series



48513



48713

Diameter	Quick Change Hex Size	51H12 12" OL* 9" Twist Bulk Stock #	51H18 18" OL* 15" Twist Bulk Stock #
1/2"	7/16"	48508	—
9/16"	7/16"	48509	48709
11/16"	7/16"	48511	48711
13/16"	7/16"	48513	48713
15/16"	7/16"	—	48715
1-1/16"	7/16"	—	48717
9/16"	5/8"	48609	—

IRWIN® IMPACT WRENCH AUGER BITS

Electrician's Impact Wrench Auger Bits

Diameter	Quick Change Hex Size	3H12		3H18	
		12" OL*	9" Twist	18" OL*	15" Twist
9/16"	7/16"	48809	—	—	—
11/16"	7/16"	—	—	48911	—
13/16"	7/16"	48813	—	48913	—




Carbide-Tipped Impact Wrench Auger Bit

18" OL* 15" Twist



48013

Diameter	Quick Change Hex Size	Bulk Stock #
13/16"	7/16"	48013



1/2" Female Square Socket Impact Wrench Bits

18" OL* 15" Twist - 51S18 Series



47811

Diameter	Socket Size	Bulk Stock #
9/16"	1/2"	47809
11/16"	1/2"	47810
13/16"	1/2"	47811


- Quick-release button
- Heat-treated full length for extra strength
- For general construction work
- Single cutter and side lip
- Hollow-center design



*OL = Overall Length

IRWIN® ADJUSTABLE WOOD BITS


35 Diameters - In One Bit!



- 5/8" to 1-3/4" size will cut 19 standard hole sizes in increments of 1/8"
- 7/8" to 3" will cut 35 hole sizes in increments of 1/8" (pictured above)

Solid One-Piece Forging

- Gives bit added strength for long life



Lockhead Screw

- Securely holds blade to desired boring diameter

Cutting Blade

- To adjust, loosen Lockhead screw and move blade to desired cutting diameter then tighten screw

Lockhead Adjustable Wood Bits - Drill Press

Boring Range Diameter	Cutting Blades Included	Drill Press Shank Size	Overall Length	Pouched Stock #
5/8" - 1-3/4"	44031, 44032	9/32"	5-1/2"	44801
7/8" - 3"	44233, 44234	11/32"	6-1/2"	45002

Lockhead Adjustable Wood Bits - Hand Brace




Boring Range Diameter	Cutting Blades Included	Shank	Overall Length	Pouched Stock #
5/8" - 1-3/4"	44031, 44032	Taper	7-1/8"	44001
7/8" - 3"	44233, 44234	Square	8-1/8"	44202

Solid One-Piece Forging

- Gives bit added strength for long life

Micro-Dial Screw

- Dial can be turned to the size you want to bore



Cutting Blade

- To adjust, loosen screw behind Micro-Dial head and adjust dial to desired cutting diameter then tighten screw


Micro-Dial, Adjustable Wood Bits - Hand Brace

Boring Range Diameter	Cutting Blades Included	Shank	Overall Length	Pouched Stock #
5/8" - 1-3/4"	44411, 44412	Taper	7-1/8"	44421
7/8" - 3"	44613, 44614	Square	8-1/8"	44622

IRWIN® SELF-FEED WOOD BITS

Quick Change Impact Shank

- On all sizes



Self-Feed Wood Bits

Diameter	Hex Size	Boxed Stock #
1"	7/16"	43016
1-1/8"	7/16"	43018
1-1/4"	7/16"	43020
1-3/8"	7/16"	43022
1-1/2"	7/16"	43024
1-3/4"	7/16"	43028
2"	7/16"	43032
2-1/8"	7/16"	43034
2-1/4"	7/16"	43036
2-9/16"	7/16"	43041
3"	7/16"	43047
3-5/8"	7/16"	43058
4-5/8"	7/16"	43074

- Drill large diameter holes in wood for pipe, conduit and other applications
- Effortless cutting, even in gummy wood
- Each bit is packaged with one hex key and two feed screws

IRWIN® FORSTNER BITS

Reduced Shank

- Fits 3/8" and larger drills and drill presses

42932

Brad Point

- Starts the bit cleanly, even on uneven surfaces

Forstner Bits - 3-1/2" OL*



Diameter	Round Shank Diameter	Clamshell Stock #
1/4"	.250"	42904
3/8"	.250"	42906
1/2"	.315"	42908
5/8"	.315"	42910
3/4"	.375"	42912
7/8"	.375"	42914
1"	.375"	42916
1-1/8"	.375"	42918
1-1/4"	.375"	42920
1-3/8"	.375"	42922
1-1/2"	.375"	42924
1-5/8"	.375"	42926
1-3/4"	.375"	42928
1-7/8"	.375"	42930
2"	.375"	42932
2-1/8"	.375"	42934

4" Forstner Bit Extension

- Includes hex key



Description	Three Flattened Shank Diameter	Carded Stock #
For use with .375" Shank Bits	.375"	42936

Forstner Bit Set



Description	Contents	Boxed Stock #
4 pc Set	5/8", 3/4", 7/8", 1"	42940

IRWIN® Wood Boring Bits



49618

Diameter	Carded Stock #
1/8"	49612
3/16"	49613
1/4"	49614
5/16"	49615
3/8"	49616
7/16"	49617*
1/2"	49618*

*7/16" and 1/2" bits have 3/8" reduced shanks

Brad Point Drill Bits

- Precision-ground for use in furniture making, doweling, cabinetry, and other woodworking applications where an exact hole size is required
- The spurred cutting head is designed to reduce splintering and ensure a smooth, clean hole
- Wide flutes provide a fast, continuous flow of chips



49600

Brad Point Drill Bit Set

Description	Contents	Pouched Stock #
5 pc Set	3/16", 1/4", 5/16", 3/8", 1/2"	49600



43910

Plug Diameter	Round Shank Diameter	Carded Stock #
1/4"	1/4"	43904
3/8"	1/4"	43906
1/2"	1/4"	43908
5/8"	1/4"	43910

Plug Cutters

- For covering fastener holes in furniture, cabinetry, floors, decks, and other woodworking projects
- Made of hardened, high-carbon steel
- Makes dowels

IRWIN® HAND BRACE INSTALLER BITS

Full Length Heat Treatment

- For industrial use

Premium Alloy Steel

- Enables user to bore in a variety of materials (plaster, metal lath) encountered while installing wire

82° Point

- For fast boring in all types of wood

Hole In Flute

- Makes it easy to pull wire through walls, ceilings and floors

Application:

- For installing small wire for telephones, cable TV, computers, security systems, and other applications



12" Length Bits Taper Square

38508

Diameter	Bulk Stock #
3/16"	38503
1/4"	38504
5/16"	38505
3/8"	38506
1/2"	38508

18" Length Bits Taper Square

38608

Diameter	Bulk Stock #
3/16"	38603
1/4"	38604
5/16"	38605
3/8"	38606
7/16"	38607
1/2"	38608
5/8"	38610
11/16"	38611
3/4"	38612

24" Length Bits Taper Square

38708

Diameter	Bulk Stock #
3/16"	38703
1/4"	38704
5/16"	38705
3/8"	38706
1/2"	38708

30" Length Bits Taper Square



38806

Diameter	Bulk Stock #
1/4"	38804
3/8"	38806

IRWIN® POWER DRILL INSTALLER BITS



38908

12" Length Bits

Diameter	Shank Diameter	Bulk Stock #
1/4"	.230"	38904
5/16"	.285"	38905
3/8"	.370"	38906
7/16"	.370"	38907
1/2"	.370"	38908
9/16"	.370"	38909
5/8"	.370"	38910
11/16"	.370"	38911
3/4"	.370"	38912



39008

18" Length Bits

Diameter	Shank Diameter	Pouched Stock #	Bulk Stock #
1/4"	.230"	39104	39004
5/16"	.285"	39105	39005
3/8"	.370"	39106	39006
7/16"	.370"	39107	39007
1/2"	.370"	39108	39008
9/16"	.370"	39109	39009
5/8"	.370"	39110	39010
11/16"	.370"	39111	39011
3/4"	.370"	39112	39012



39408

24" Length Bits

Diameter	Shank Diameter	Pouched Stock #	Bulk Stock #
1/4"	.230"	39504	39404
5/16"	.285"	39505	39405
3/8"	.370"	39506	39406
1/2"	.370"	39508	39408




39608

30" Length Bits

Diameter	Shank Diameter	Bulk Stock #
1/4"	.230"	39604
5/16"	.285"	39605
3/8"	.370"	39606
1/2"	.370"	39608

IRWIN® MASONRY INSTALLER BITS



12" Length Bits - Taper Square



Diameter	Bulk Stock #
1/4"	39704
3/8"	39706

18" Length Bits - Taper Square



Diameter	Bulk Stock #
1/4"	39804
5/16"	39805
3/8"	39806
1/2"	39808

12" Length Bits - Power Drill



Diameter	Shank Diameter	Bulk Stock #
1/4"	.245"	39904
5/16"	.250"	39905
3/8"	.370"	39906

18" Length Bits - Power Drill



Diameter	Shank Diameter	Bulk Stock #
1/4"	.245"	40004
5/16"	.250"	40005
3/8"	.370"	40006
1/2"	.370"	40008
5/8"	.370"	40010
3/4"	.370"	40012